




RENTAL DIVISION - DIVISION LOCATION

SAM750 UNIT #750

TECHNICAL DRAWINGS


2020



Mass SAM750 Floor Trailer	Standard Equipment	
	Lbs	Kg
Total Mass	52600	23859
Mass on Axle	30558	13861
Mass on Hitch	22042	9998


Drawings may show stage equipped with optional accessories. May be sold separately.

© 2020 - All rights reserved, Stageline Mobile Stage Inc. Any and all forms of adaptation or reproduction of this document including the plans and drawings, in whole or in part, are strictly forbidden without the written authorisation of Stageline Mobile Stage Inc. Mass may vary depending on options. Technical specifications may change without notice. Stage specifications are subject to change without notice. Figures are nominal.



Drawings may show stage equipped with optional accessories. May be sold separately.

© 2020 - All rights reserved, Stageline Mobile Stage Inc. Any and all forms of adaptation or reproduction of this document including the plans and drawings, in whole or in part, are strictly forbidden without the written authorisation of Stageline Mobile Stage Inc. Mass may vary depending on options. Technical specifications may change without notice. Stage specifications are subject to change without notice. Figures are nominal.




WINDWALL

Drawings may show stage equipped with optional accessories. May be sold separately.

© 2020 - All rights reserved, Stageline Mobile Stage Inc. Any and all forms of adaptation or reproduction of this document including the plans and drawings, in whole or in part, are strictly forbidden without the written authorisation of Stageline Mobile Stage Inc. Mass may vary depending on options. Technical specifications may change without notice. Stage specifications are subject to change without notice. Figures are nominal.

stageline.com | info@stageline.com

tech_drawings-L-SAM750_no750-002-2020



WINDWALL


BANNER (For dimensions, please refer to Banner Book)

Drawings may show stage equipped with optional accessories. May be sold separately.

© 2020 - All rights reserved, Stageline Mobile Stage Inc. Any and all forms of adaptation or reproduction of this document including the plans and drawings, in whole or in part, are strictly forbidden without the written authorisation of Stageline Mobile Stage Inc. Mass may vary depending on options. Technical specifications may change without notice. Stage specifications are subject to change without notice. Figures are nominal.

stageline.com | info@stageline.com

tech_drawings-L-SAM750_no750-002-2020



WINDWALL


BANNER (For dimensions, please refer to Banner Book)

Drawings may show stage equipped with optional accessories. May be sold separately.

© 2020 - All rights reserved, Stageline Mobile Stage Inc. Any and all forms of adaptation or reproduction of this document including the plans and drawings, in whole or in part, are strictly forbidden without the written authorisation of Stageline Mobile Stage Inc. Mass may vary depending on options. Technical specifications may change without notice. Stage specifications are subject to change without notice. Figures are nominal.


stageline.com | info@stageline.com

tech_drawings-L-SAM750_no750-002-2020



Drawings may show stage equipped with optional accessories. May be sold separately.


© 2020 - All rights reserved, Stageline Mobile Stage Inc. Any and all forms of adaptation or reproduction of this document including the plans and drawings, in whole or in part, are strictly forbidden without the written authorisation of Stageline Mobile Stage Inc. Mass may vary depending on options. Technical specifications may change without notice. Stage specifications are subject to change without notice. Figures are nominal.



WINDWALL


Drawings may show stage equipped with optional accessories. May be sold separately.

© 2020 - All rights reserved, Stageline Mobile Stage Inc. Any and all forms of adaptation or reproduction of this document including the plans and drawings, in whole or in part, are strictly forbidden without the written authorisation of Stageline Mobile Stage Inc. Mass may vary depending on options. Technical specifications may change without notice. Stage specifications are subject to change without notice. Figures are nominal.



Drawings may show stage equipped with optional accessories. May be sold separately.

© 2020 - All rights reserved, Stageline Mobile Stage Inc. Any and all forms of adaptation or reproduction of this document including the plans and drawings, in whole or in part, are strictly forbidden without the written authorisation of Stageline Mobile Stage Inc. Mass may vary depending on options. Technical specifications may change without notice. Stage specifications are subject to change without notice. Figures are nominal.




x2 PLATFORM 3'-7" x 8'-0" [1.10m x 2.44m]

x115 PLATFORM 4'-0" x 8'-0" [1.22m x 2.44m]

Drawings may show stage equipped with optional accessories. May be sold separately.

© 2020 - All rights reserved, Stageline Mobile Stage Inc. Any and all forms of adaptation or reproduction of this document including the plans and drawings, in whole or in part, are strictly forbidden without the written authorisation of Stageline Mobile Stage Inc. Mass may vary depending on options. Technical specifications may change without notice. Stage specifications are subject to change without notice. Figures are nominal.




x2 PLATFORM 3'-7"x 8'-0" [1.10m x 2.44m]

x137 PLATFORM 4'-0"x 8'-0" [1.22m x 2.44m]

Drawings may show stage equipped with optional accessories. May be sold separately.


© 2020 - All rights reserved, Stageline Mobile Stage Inc. Any and all forms of adaptation or reproduction of this document including the plans and drawings, in whole or in part, are strictly forbidden without the written authorisation of Stageline Mobile Stage Inc. Mass may vary depending on options. Technical specifications may change without notice. Stage specifications are subject to change without notice. Figures are nominal.



PLATFORM


Drawings may show stage equipped with optional accessories. May be sold separately.

© 2020 - All rights reserved, Stageline Mobile Stage Inc. Any and all forms of adaptation or reproduction of this document including the plans and drawings, in whole or in part, are strictly forbidden without the written authorisation of Stageline Mobile Stage Inc. Mass may vary depending on options. Technical specifications may change without notice. Stage specifications are subject to change without notice. Figures are nominal.




Drawings may show stage equipped with optional accessories. May be sold separately.

© 2020 - All rights reserved, Stageline Mobile Stage Inc. Any and all forms of adaptation or reproduction of this document including the plans and drawings, in whole or in part, are strictly forbidden without the written authorisation of Stageline Mobile Stage Inc. Mass may vary depending on options. Technical specifications may change without notice. Stage specifications are subject to change without notice. Figures are nominal.



Drawings may show stage equipped with optional accessories. May be sold separately.


© 2020 - All rights reserved, Stageline Mobile Stage Inc. Any and all forms of adaptation or reproduction of this document including the plans and drawings, in whole or in part, are strictly forbidden without the written authorisation of Stageline Mobile Stage Inc. Mass may vary depending on options. Technical specifications may change without notice. Stage specifications are subject to change without notice. Figures are nominal.



CAPACITY: 150lbs/ft² [732kg/m²]

Drawings may show stage equipped with optional accessories. May be sold separately.

© 2020 - All rights reserved, Stageline Mobile Stage Inc. Any and all forms of adaptation or reproduction of this document including the plans and drawings, in whole or in part, are strictly forbidden without the written authorisation of Stageline Mobile Stage Inc. Mass may vary depending on options. Technical specifications may change without notice. Stage specifications are subject to change without notice. Figures are nominal.



▲ 225 LB (100 KG)

●▲ FLOOR STABILIZERS, EXTENSIONS AND LEVELLING JACKS

NOTE: FOR ADDITIONAL LIVE LOAD INFORMATIONS, CONTACT STAGELINE

Drawings may show stage equipped with optional accessories. May be sold separately.

© 2020 - All rights reserved, Stageline Mobile Stage Inc. Any and all forms of adaptation or reproduction of this document including the plans and drawings, in whole or in part, are strictly forbidden without the written authorisation of Stageline Mobile Stage Inc. Mass may vary depending on options. Technical specifications may change without notice. Stage specifications are subject to change without notice. Figures are nominal.

A THOROUGH UNDERSTANDING OF THE INTER-RELATED LOADINGS SHOWN IN THIS RIGGING PLAN IS NEEDED IN ORDER TO SAFELY USE THIS MOBILE STAGE ROOF AND TAKE FULL ADVANTAGE OF THE MANY RIGGING OPPORTUNITIES IT OFFERS.

This mobile stage roof offers a variety of rigging options with regard to load capacity, placement and type.


There are rigging pipes, trusses, roof rigging points and side overhang rigging beams.

This rigging plan locates and defines these rigging features, includes load capacity for each and describes maximum combinations of loads amongst features.

Take note of exclusions, maximum sub-totals in a group, load balance requirements, maximum lifting capacity of roof and maximum rigging load on roof.

The maximum load on the roof is less than the sum of the maximum load on each rigging feature.

Refer to Operator's Manual for procedures in regards to proper setup and setup methods of the stage and its options.



The information contained in the current document is final and must be considered as such. They are derived from design briefs and summarized to help the user plan rigging configurations safely. It is therefore mandatory that the user follows and respects the capabilities and limitations described herein. Overloading of stage components above their specified capacity may result in structural failure, equipment damage, injury or death. Stageline cannot be held responsible if the user, himself or subcontractors under his supervision, derogate from this document and/or the approved rigging plan. If a desired configuration cannot meet these requirements, the user must contact Stageline to analyse the case and obtain further instructions. Special restrictions and limitations may apply.

Certain authorities may require that a rig configuration plan, signed and sealed by a recognized member of a professional body, be available to allow the stage to be setup on their territory. This document was not intended to and cannot be used or considered as an official document or certificate to serve this purpose. Contact responsible authorities or Stageline for details.


Drawings may show stage equipped with optional accessories. May be sold separately.

© 2020 - All rights reserved, Stageline Mobile Stage Inc. Any and all forms of adaptation or reproduction of this document including the plans and drawings, in whole or in part, are strictly forbidden without the written authorisation of Stageline Mobile Stage Inc. Mass may vary depending on options. Technical specifications may change without notice. Stage specifications are subject to change without notice. Figures are nominal.

RIGGING RESTRICTIONS:

- MAXIMUM LOAD BEARING CAPACITY : 152 000 lb (68 934 kg). Telescopic columns must be pinned and secured.
- Do not rig on CT (central trusses) and AT (aluminum trusses).
- Rigging on all T trusses can be done anywhere on bottom chord. Keep at least 4' (1.20m) between two rigging points on the same truss.
- Trusses T1 to T5 and T1' to T5' have a maximum rigging capacity of 12000 lb (5450kg) each. This capacity must take into account loads on adjoining F truss.
- Within zone C, each T truss has an additional 3750 lb (1700kg) rigging capacity in addition to the 12 000 lb limitation mentioned above.
- All rigging points (except F1, F1', F3 and F3') and movable beams must not exceed 4400 lb (2000kg) each.
- Rigging capacity of front and back trusses must take into account loads on each trusses.
- Rigging on all F trusses must be done in panel-points only.
- Maximum allowable load for F1 and F1' is 2200 lb (1000kg) each.
- Maximum allowable load for F2 and F2' is 4400 lb (2000kg) each.
- Maximum allowable load for F3 and F3' is 8800 lb (4000kg) each.
- Maximum allowable load for each S1, S1', S2 and S2' is 2200 lb (1000 kg).
- Loads on F1 to F3 points must take into consideration loads on S1 points.
- Maximum allowable load for all Ts + Fs is 72000 lb (32700kg). This does not include allowable screen weight within zone C.
- Maximum allowable load for area A is 80000 lb (36360kg) per side.
- Maximum allowable load for area B is 25000 lb (11360kg) per side.

- Maximum allowable load for area C is 30000 lb (13 605kg).
- Maximum allowable load for each F4 and F5 is 4400 lb (2000 kg).
- Total load on F5s and S2s must not exceed 4400 lb (2000 kg) per side.
- Total load on F4s, F5s and S2s must not exceed 8800 lb (4000 kg) per side.



OUTFILL BEAM RIGGING RESTRICTIONS:


When the outfill beams is installed :

- Do not hang any loads under the outfill beams (refer to no rig zones on drawing).
- Outfill line array beam must be positioned as shown on drawing, the longest overhang section to the back.

Outfill beam capacity :

- Maximum rigging load : 4400 lbs
- Max load on point B1 : 1900 lbs
- Max load on point B2 : 2500 lbs*

*Capacity can be increased only when lifting.



 ROOF
 FLOOR

Drawings may show stage equipped with optional accessories. May be sold separately.

© 2020 - All rights reserved, Stageline Mobile Stage Inc. Any and all forms of adaptation or reproduction of this document including the plans and drawings, in whole or in part, are strictly forbidden without the written authorisation of Stageline Mobile Stage Inc. Mass may vary depending on options. Technical specifications may change without notice. Stage specifications are subject to change without notice. Figures are nominal.

stageline.com | info@stageline.com

tech_drawings-l-SAM750_no750-002-2020



** Valid for symmetric loads only. In other cases, contact Stageline for assistance.

Drawings may show stage equipped with optional accessories. May be sold separately.


© 2020 - All rights reserved, Stageline Mobile Stage Inc. Any and all forms of adaptation or reproduction of this document including the plans and drawings, in whole or in part, are strictly forbidden without the written authorisation of Stageline Mobile Stage Inc. Mass may vary depending on options. Technical specifications may change without notice. Stage specifications are subject to change without notice. Figures are nominal.

WHEN CALCULATING THE LOADS ON A SAM750, USE FOLLOWING METHOD:

- Calculate all the loads applied to each point.
- Verify the applicable limitations for each points.
- Verify the applicable limitations for each truss.

LOAD CHART *		
Point	Load calculation	Load at point (lbs)
FOH1	0.13 (13%, see UDL) x 2660	346
FOH2, FOH3	0.37 (37%, see UDL) x 2660	984
FOH4	0.13 (13%, see UDL) x 2660	346
FS1, FS2, FS3, FS4	0.5 (50%, see UDL) x 4600	2300
LX1,	0.13 (13%, see UDL) x 7000	910
LX2, LX3	0.37 (37%, see UDL) x 7000	2590
LX4, LX5	0.13 (13%, see UDL) x 7000	910
LX6, LX7	0.37 (37%, see UDL) x 7000	2590
LX8, LX9	0.13 (13%, see UDL) x 7000	910
LX10, LX11	0.37 (37%, see UDL) x 7000	2590
LX12, LX13	0.13 (13%, see UDL) x 7000	910
LX14, LX15	0.37 (37%, see UDL) x 7000	2590
LX16	0.13 (13%, see UDL) x 7000	910
MB1, MB2	2700	2700
PA1, PA2, PA3, PA4	0.5 (50%, see UDL) x 3000	1500
VS1, VS2, VS3	2381	2381
VS4, VS5	2615	2615
VS6, VS7, VS8	2381	2381

* Refer to rigging plot



POINT LOAD VERIFICATION

- Backscreen:** VS1 to VS8 < 3750 per truss in area C
- PA systems:** PA1 + PA2 < 8800
PA3 + PA4 < 8800
- FOH light truss:** FOH1 and FOH4 < 4400 per F2
FOH2 and FOH3 < 2200 per F1
- Front screen:** FS1 and FS4 < 4400 per F5
FS2 and FS3 < 4400 per F4
- Movable beams:** Loads transferred from MB1 on T2 added to LT2 = 3940 < 4400 (allowable load within 4' area on truss)

TRUSS VERIFICATION

- T5** (PA1 + PA2) / 12000 = 0.25 or 25%
- T4** (LX1 + LX5 + LX9 + LX13) / 12000 = 0.30 or 30%
- T3** ((0.5 x MB1) + FOH1)) / 12000 = 0.14 or 14%
- T2** ((LX2 + LX6 + LX10 + LX14) + (0.5 x MB1)) / 12000 = 0.97 or 97%
- T1** FOH2 / 12000 = 0.08 or 8%

So this rigging plot does not overload the roof and is considered acceptable.